


(C) COPYRIGHT 2006

CAPACITIES, QUEUES, AND DELAYS AT 3 OR 4-ARM MAJOR/MINOR PRIORITY JUNCTIONS

PICADY 5.1 ANALYSIS PROGRAM  
RELEASE 4.0 (SEPT 2008)

ADAPTED FROM PICADY/3 WHICH IS CROWN COPYRIGHT  
BY PERMISSION OF THE CONTROLLER OF HMSO



-----  
FOR SALES AND DISTRIBUTION INFORMATION,  
PROGRAM ADVICE AND MAINTENANCE CONTACT:  
TRL SOFTWARE BUREAU  
TEL: CROWTHORNE (01344) 770758, FAX: 770356  
EMAIL: Software@trl.co.uk  
-----

THE USER OF THIS COMPUTER PROGRAM FOR THE SOLUTION OF AN ENGINEERING PROBLEM IS  
IN NO WAY RELIEVED OF HIS/HER RESPONSIBILITY FOR THE CORRECTNESS OF THE SOLUTION

Run with file:-  
"J:\122000\122374-00\4 Internal Project Data\4-40 Calculations\Transport\Junction Assessments\9.Ship Gyratory\  
Harbour Rd\_Nicholas Rd Junction\HarbourRd\_NicholasRd Junction.vp1"  
(drive-on-the-left) at 16:59:47 on Monday, 13 July 2009

.RUN INFORMATION  
\*\*\*\*\*

RUN TITLE : Ship Gyratory\_Harbour Rad / Nicholas Road Junction  
LOCATION :  
DATE : 13/07/09  
CLIENT :  
ENUMERATOR : Ryan.Hopkins [WACCMSJQ2J]  
JOB NUMBER :  
STATUS :  
DESCRIPTION :

.MAJOR/MINOR JUNCTION CAPACITY AND DELAY  
\*\*\*\*\*

INPUT DATA  
-----

MAJOR ROAD (ARM C) ----- MAJOR ROAD (ARM A)  
I  
I  
I  
I  
I  
I  
I  
MINOR ROAD (ARM B)

ARM A IS St Nicholas (S)  
ARM B IS Park Avenue (W)  
ARM C IS St Nicholas (E)

.STREAM LABELLING CONVENTION  
-----

STREAM A-B CONTAINS TRAFFIC GOING FROM ARM A TO ARM B  
STREAM B-AC CONTAINS TRAFFIC GOING FROM ARM B TO ARM A AND TO ARM C  
ETC.

.GEOMETRIC DATA  
-----

I	DATA ITEM	I	MINOR ROAD B	I
I	TOTAL MAJOR ROAD CARRIAGEWAY WIDTH	I	( W ) 6.80 M.	I
I	CENTRAL RESERVE WIDTH	I	(WCR ) 10.00 M.	I
I		I		I
I	MAJOR ROAD RIGHT TURN - WIDTH	I	(WC-B) 2.20 M.	I
I	- VISIBILITY	I	(VC-B) 30.00 M.	I
I	- BLOCKS TRAFFIC	I	NO	I
I		I		I
I	MINOR ROAD - VISIBILITY TO LEFT	I	(VB-C) 57.0 M.	I
I	- VISIBILITY TO RIGHT	I	(VB-A) 20.0 M.	I
I	- LANE 1 WIDTH	I	(WB-C) -	I
I	- LANE 2 WIDTH	I	(WB-A) -	I
I	WIDTH AT 0 M FROM JUNCTION	I	5.60 M.	I
I	WIDTH AT 5 M FROM JUNCTION	I	5.35 M.	I
I	WIDTH AT 10 M FROM JUNCTION	I	5.32 M.	I
I	WIDTH AT 15 M FROM JUNCTION	I	5.20 M.	I
I	WIDTH AT 20 M FROM JUNCTION	I	5.16 M.	I
I	- LENGTH OF FLARED SECTION	I	1 VEHS	I

.SLOPES AND INTERCEPT  
-----

(NB:Streams may be combined, in which case capacity will be adjusted)

I	Intercept For	Slope For	Opposing	Slope For	Opposing	I
I	STREAM B-C	STREAM A-C	STREAM A-B	STREAM A-B	STREAM B-C	I
I	0.00	0.00	0.00	0.00	0.00	I

\* Due to the presence of a flare, data is not available

I	Intercept For	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	Slope For	Opposing	I
I	STREAM B-A	STREAM A-C	STREAM A-B	STREAM A-B	STREAM C-A	STREAM C-A	STREAM C-B	STREAM C-B	STREAM B-A	I
I	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	I

\* Due to the presence of a flare, data is not available

I	Intercept For Slope For Opposing	Slope For Opposing	I
I	STREAM C-B	STREAM A-C	STREAM A-B
I	591.34	0.22	0.22

(NB These values do not allow for any site specific corrections)

.TRAFFIC DEMAND DATA

I	ARM	I	FLOW SCALE (%)	I
I	A	I	100	I
I	B	I	100	I
I	C	I	100	I

.Demand set: AM 2020 with Development

TIME PERIOD BEGINS 08.15 AND ENDS 09.45

LENGTH OF TIME PERIOD - 90 MIN.  
LENGTH OF TIME SEGMENT - 15 MIN.

.DEMAND FLOW PROFILES ARE SYNTHESISED FROM TURNING COUNT DATA

I	ARM	I	NUMBER OF MINUTES FROM START WHEN FLOW STARTS TO RISE	I	TOP OF PEAK IS REACHED	I	FLOW STOPS FALLING	I	RATE OF FLOW (VEH/MIN) BEFORE PEAK	I	AT TOP OF PEAK	I	AFTER PEAK	I
I	ARM A	I	15.00	I	45.00	I	75.00	I	7.11	I	10.67	I	7.11	I
I	ARM B	I	15.00	I	45.00	I	75.00	I	1.77	I	2.66	I	1.77	I
I	ARM C	I	15.00	I	45.00	I	75.00	I	4.31	I	6.47	I	4.31	I

.Demand set: AM 2020 with Development

I	TIME	I	FROM/TO	I	ARM	A	I	ARM	B	I	ARM	C	I
I	08.15 - 08.30	I		I	ARM A	I	0.000	I	0.053	I	0.947	I	
I		I		I		I	0.0	I	30.0	I	539.0	I	
I		I		I		I	( 0.0)	I	( 0.0)	I	( 6.0)	I	
I		I		I	ARM B	I	0.810	I	0.000	I	0.190	I	
I		I		I		I	115.0	I	0.0	I	27.0	I	
I		I		I		I	( 0.0)	I	( 0.0)	I	( 0.0)	I	
I		I		I	ARM C	I	1.000	I	0.000	I	0.000	I	
I		I		I		I	345.0	I	0.0	I	0.0	I	
I		I		I		I	( 9.0)	I	( 0.0)	I	( 0.0)	I	

TURNING PROPORTIONS ARE CALCULATED FROM TURNING COUNT DATA  
THE PERCENTAGE OF HEAVY VEHICLES VARIES OVER TURNING MOVEMENTS

QUEUE AND DELAY INFORMATION FOR EACH 15 MIN TIME SEGMENT

FOR DEMAND SET AM 2020 with Development  
AND FOR TIME PERIOD 1

I	TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	08.15-08.30										I
I	B-C	0.34	6.80	0.050		0.00	0.05	0.7		0.15	I
I	B-A	1.44	9.05	0.159		0.00	0.19	2.7		0.13	I
I	C-A	4.33									I
I	C-B	0.00	7.44	0.000		0.00	0.00	0.0		0.00	I
I	A-B	0.38									I
I	A-C	6.76									I

I	TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	08.30-08.45										I
I	B-C	0.40	6.44	0.063		0.05	0.07	1.0		0.17	I
I	B-A	1.72	8.54	0.202		0.19	0.25	3.6		0.15	I
I	C-A	5.17									I
I	C-B	0.00	7.15	0.000		0.00	0.00	0.0		0.00	I
I	A-B	0.45									I
I	A-C	8.08									I

I	TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	08.45-09.00										I
I	B-C	0.50	5.92	0.084		0.07	0.09	1.3		0.18	I
I	B-A	2.11	7.83	0.270		0.25	0.36	5.3		0.17	I
I	C-A	6.33									I
I	C-B	0.00	6.74	0.000		0.00	0.00	0.0		0.00	I
I	A-B	0.55									I
I	A-C	9.89									I

I	TIME	DEMAND	CAPACITY	DEMAND/	PEDESTRIAN	START	END	DELAY	GEOMETRIC DELAY	AVERAGE DELAY	I
---	------	--------	----------	---------	------------	-------	-----	-------	-----------------	---------------	---

	(VEH/MIN)	(VEH/MIN)	CAPACITY (RFC)	2020 FLOW (PEDS/MIN)	with dev QUEUE (VEHS)	and with dev QUEUE (VEHS)	with dev+tourism.vpo (VEH.MIN/TIME SEGMENT)	(VEH.MIN/TIME SEGMENT)	PER ARRIVING VEHICLE (MIN)
I 09.00-09.15									
I B-C	0.50	5.91	0.084		0.09	0.09	1.4	0.18	
I B-A	2.11	7.83	0.270		0.36	0.37	5.5	0.17	
I C-A	6.33								
I C-B	0.00	6.74	0.000		0.00	0.00	0.0	0.00	
I A-B	0.55								
I A-C	9.89								

I TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
I 09.15-09.30									
I B-C	0.40	6.44	0.063		0.09	0.07	1.0		0.17
I B-A	1.72	8.54	0.202		0.37	0.26	4.0		0.15
I C-A	5.17								
I C-B	0.00	7.15	0.000		0.00	0.00	0.0		0.00
I A-B	0.45								
I A-C	8.08								

I TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
I 09.30-09.45									
I B-C	0.34	6.79	0.050		0.07	0.05	0.8		0.16
I B-A	1.44	9.05	0.159		0.26	0.19	3.0		0.13
I C-A	4.33								
I C-B	0.00	7.44	0.000		0.00	0.00	0.0		0.00
I A-B	0.38								
I A-C	6.76								

QUEUE FOR STREAM B-C

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
08.30	0.1
08.45	0.1
09.00	0.1
09.15	0.1
09.30	0.1
09.45	0.1

QUEUE FOR STREAM B-A

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
08.30	0.2
08.45	0.2
09.00	0.4
09.15	0.4
09.30	0.3
09.45	0.2

QUEUE FOR STREAM C-B

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
08.30	0.0
08.45	0.0
09.00	0.0
09.15	0.0
09.30	0.0
09.45	0.0

QUEUEING DELAY INFORMATION OVER WHOLE PERIOD

I STREAM	I TOTAL DEMAND	I * QUEUEING * DELAY	I * INCLUSIVE QUEUEING * DELAY
	(VEH)	(VEH/H) (MIN)	(MIN) (MIN/VEH)
I B-C	37.2	24.8	6.3
I B-A	158.3	105.5	24.0
I C-A	474.9	316.6	0.0
I C-B	0.0	0.0	0.00
I A-B	41.3	27.5	0.0
I A-C	741.9	494.6	0.02
I ALL	1453.5	969.0	30.3

\* DELAY IS THAT OCCURRING ONLY WITHIN THE TIME PERIOD  
 \* INCLUSIVE DELAY INCLUDES DELAY SUFFERED BY VEHICLES WHICH ARE STILL QUEUEING AFTER THE END OF THE TIME PERIOD  
 \* THESE WILL ONLY BE SIGNIFICANTLY DIFFERENT IF THERE IS A LARGE QUEUE REMAINING AT THE END OF THE TIME PERIOD.

\*\*\*\*\*END OF RUN\*\*\*\*\*

SLOPES AND INTERCEPT

(NB:Streams may be combined, in which case capacity will be adjusted)

I Intercept For	Slope For	Opposing	Slope For	Opposing
I STREAM B-C	STREAM A-C	A-C	STREAM A-B	A-B
I 0.00	0.00	0.00	0.00	0.00

\* Due to the presence of a flare, data is not available

I	Intercept For Stream B-A	Slope For Stream A-C	Opposing Slope For Stream A-B	Opposing Slope For Stream C-A	Opposing Slope For Stream C-B	I
I	0.00	0.00	0.00	0.00	0.00	I

\* Due to the presence of a flare, data is not available

I	Intercept For Stream C-B	Slope For Stream A-C	Opposing Slope For Stream A-B	I
I	591.34	0.22	0.22	I

(NB These values do not allow for any site specific corrections)

.TRAFFIC DEMAND DATA

I	ARM	I	FLOW SCALE (%)	I
I	A	I	100	I
I	B	I	100	I
I	C	I	100	I

.Demand set: PM 2020 with Development

TIME PERIOD BEGINS 16.15 AND ENDS 17.45

LENGTH OF TIME PERIOD - 90 MIN.

LENGTH OF TIME SEGMENT - 15 MIN.

.DEMAND FLOW PROFILES ARE SYNTHESISED FROM TURNING COUNT DATA

I	ARM	I	NUMBER OF FLOW STARTS TO RISE	I	MINUTES FROM TOP OF PEAK IS REACHED	I	MINUTES FROM START WHEN FLOW STOPS FALLING	I	RATE OF FLOW BEFORE PEAK	I	AT TOP OF PEAK	I	AFTER PEAK	I
I	A	I	15.00	I	45.00	I	75.00	I	6.75	I	10.13	I	6.75	I
I	B	I	15.00	I	45.00	I	75.00	I	1.83	I	2.74	I	1.83	I
I	C	I	15.00	I	45.00	I	75.00	I	6.90	I	10.35	I	6.90	I

.Demand set: PM 2020 with Development

I	TIME	I	FROM/TO	I	ARM	A	I	ARM	B	I	ARM	C	I
I	16.15 - 16.30	I	ARM A	I	0.000	I	0.135	I	0.865	I		I	
I		I		I	0.0	I	73.0	I	467.0	I		I	
I		I		I	( 0.0)	I	( 0.0)	I	( 2.0)	I		I	
I		I	ARM B	I	0.637	I	0.000	I	0.363	I		I	
I		I		I	93.0	I	0.0	I	53.0	I		I	
I		I		I	( 0.0)	I	( 0.0)	I	( 0.0)	I		I	
I		I	ARM C	I	1.000	I	0.000	I	0.000	I		I	
I		I		I	552.0	I	0.0	I	0.0	I		I	
I		I		I	( 4.0)	I	( 0.0)	I	( 0.0)	I		I	

TURNING PROPORTIONS ARE CALCULATED FROM TURNING COUNT DATA  
THE PERCENTAGE OF HEAVY VEHICLES VARIES OVER TURNING MOVEMENTS

QUEUE AND DELAY INFORMATION FOR EACH 15 MIN TIME SEGMENT

FOR DEMAND SET AND FOR TIME PERIOD PM 2020 with Development 2

I	TIME	I	DEMAND (VEH/MIN)	I	CAPACITY (VEH/MIN)	I	DEMAND/CAPACITY (RFC)	I	PEDESTRIAN FLOW (PEDS/MIN)	I	START QUEUE (VEHS)	I	END QUEUE (VEHS)	I	DELAY (VEH.MIN/ TIME SEGMENT)	I	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	I	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	16.15-16.30	I	0.67	I	7.82	I	0.085	I		I	0.00	I	0.09	I	1.3	I		I	0.14	I
I	B-C	I	1.17	I	8.17	I	0.143	I		I	0.00	I	0.16	I	2.4	I		I	0.14	I
I	B-A	I	6.93	I		I		I		I		I		I		I		I		I
I	C-A	I	0.00	I	7.57	I	0.000	I		I	0.00	I	0.00	I	0.0	I		I	0.00	I
I	C-B	I	0.92	I		I		I		I		I		I		I		I		I
I	A-B	I	5.86	I		I		I		I		I		I		I		I		I
I	A-C	I		I		I		I		I		I		I		I		I		I

I	TIME	I	DEMAND (VEH/MIN)	I	CAPACITY (VEH/MIN)	I	DEMAND/CAPACITY (RFC)	I	PEDESTRIAN FLOW (PEDS/MIN)	I	START QUEUE (VEHS)	I	END QUEUE (VEHS)	I	DELAY (VEH.MIN/ TIME SEGMENT)	I	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	I	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	16.30-16.45	I	0.79	I	7.47	I	0.106	I		I	0.09	I	0.12	I	1.7	I		I	0.15	I
I	B-C	I	1.39	I	7.67	I	0.182	I		I	0.16	I	0.22	I	3.2	I		I	0.16	I
I	B-A	I	8.27	I		I		I		I		I		I		I		I		I
I	C-A	I	0.00	I	7.30	I	0.000	I		I	0.00	I	0.00	I	0.0	I		I	0.00	I
I	C-B	I	1.09	I		I		I		I		I		I		I		I		I
I	A-B	I	7.00	I		I		I		I		I		I		I		I		I
I	A-C	I		I		I		I		I		I		I		I		I		I

I	TIME	I	DEMAND (VEH/MIN)	I	CAPACITY (VEH/MIN)	I	DEMAND/CAPACITY (RFC)	I	PEDESTRIAN FLOW (PEDS/MIN)	I	START QUEUE (VEHS)	I	END QUEUE (VEHS)	I	DELAY (VEH.MIN/ TIME SEGMENT)	I	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	I	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	16.45-17.00	I	0.97	I	6.96	I	0.140	I		I	0.12	I	0.16	I	2.3	I		I	0.17	I
I	B-C	I	1.71	I	6.97	I	0.245	I		I	0.22	I	0.32	I	4.6	I		I	0.19	I
I	B-A	I		I		I		I		I		I		I		I		I		I

2020 with dev and with dev+tourism.vpo

I	C-A	10.13									
I	C-B	0.00	6.93	0.000		0.00	0.00	0.0		0.00	
I	A-B	1.34									
I	A-C	8.57									

I	TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/ CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
I	17.00-17.15									
I	B-C	0.97	6.96	0.140		0.16	0.16	2.4		0.17
I	B-A	1.71	6.97	0.245		0.32	0.32	4.8		0.19
I	C-A	10.13								
I	C-B	0.00	6.93	0.000		0.00	0.00	0.0		0.00
I	A-B	1.34								
I	A-C	8.57								

I	TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/ CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
I	17.15-17.30									
I	B-C	0.79	7.47	0.106		0.16	0.12	1.9		0.15
I	B-A	1.39	7.67	0.182		0.32	0.22	3.5		0.16
I	C-A	8.27								
I	C-B	0.00	7.30	0.000		0.00	0.00	0.0		0.00
I	A-B	1.09								
I	A-C	7.00								

I	TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/ CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/ TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
I	17.30-17.45									
I	B-C	0.67	7.82	0.085		0.12	0.09	1.4		0.14
I	B-A	1.17	8.17	0.143		0.22	0.17	2.6		0.14
I	C-A	6.93								
I	C-B	0.00	7.57	0.000		0.00	0.00	0.0		0.00
I	A-B	0.92								
I	A-C	5.86								

QUEUE FOR STREAM B-C

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
16.30	0.1
16.45	0.1
17.00	0.2
17.15	0.2
17.30	0.1
17.45	0.1

QUEUE FOR STREAM B-A

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
16.30	0.2
16.45	0.2
17.00	0.3
17.15	0.3
17.30	0.2
17.45	0.2

QUEUE FOR STREAM C-B

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
16.30	0.0
16.45	0.0
17.00	0.0
17.15	0.0
17.30	0.0
17.45	0.0

QUEUEING DELAY INFORMATION OVER WHOLE PERIOD

I	STREAM	I	TOTAL DEMAND	I	* QUEUEING * * DELAY *	I	* INCLUSIVE QUEUEING * * DELAY *	I
I	I	I	(VEH)	I	(MIN)	I	(MIN)	I
I	B-C	I	73.0	I	48.6	I	11.1	I
I	B-A	I	128.0	I	85.3	I	21.1	I
I	C-A	I	759.8	I	506.5	I		I
I	C-B	I	0.0	I	0.0	I	0.0	I
I	A-B	I	100.5	I	67.0	I		I
I	A-C	I	642.8	I	428.5	I		I
I	ALL	I	1704.0	I	1136.0	I	32.2	I

\* DELAY IS THAT OCCURRING ONLY WITHIN THE TIME PERIOD  
 \* INCLUSIVE DELAY INCLUDES DELAY SUFFERED BY VEHICLES  
 WHICH ARE STILL QUEUEING AFTER THE END OF THE TIME PERIOD  
 \* THESE WILL ONLY BE SIGNIFICANTLY DIFFERENT IF THERE IS  
 A LARGE QUEUE REMAINING AT THE END OF THE TIME PERIOD.

\*\*\*\*\*END OF RUN\*\*\*\*\*

.SLOPES AND INTERCEPT

(NB:Streams may be combined, in which case capacity will be adjusted)

I	Intercept For Stream B-C	Slope For Opposing Stream A-C	Slope For Opposing Stream A-B	I
I	0.00	0.00	0.00	I

\* Due to the presence of a flare, data is not available

I	Intercept For Stream B-A	Slope For Opposing Stream A-C	Slope For Opposing Stream A-B	Slope For Opposing Stream C-A	Slope For Opposing Stream C-B	I
I	0.00	0.00	0.00	0.00	0.00	I

\* Due to the presence of a flare, data is not available

I	Intercept For Stream C-B	Slope For Opposing Stream A-C	Slope For Opposing Stream A-B	I
I	591.34	0.22	0.22	I

(NB These values do not allow for any site specific corrections)

.TRAFFIC DEMAND DATA

I	ARM	I	FLOW SCALE (%)	I
I	A	I	100	I
I	B	I	100	I
I	C	I	100	I

.Demand set: PM 2020 with Development+Tourism

TIME PERIOD BEGINS 16.15 AND ENDS 17.45

LENGTH OF TIME PERIOD - 90 MIN.  
LENGTH OF TIME SEGMENT - 15 MIN.

.DEMAND FLOW PROFILES ARE SYNTHESISED FROM TURNING COUNT DATA

I	ARM	I	NUMBER OF MINUTES FROM START WHEN FLOW STARTS TO RISE	I	TOP OF PEAK IS REACHED	I	MINUTES FROM START WHEN FLOW STOPS FALLING	I	RATE OF FLOW (VEH/MIN) BEFORE PEAK	I	AT TOP OF PEAK	I	AFTER PEAK	I
I	ARM A	I	15.00	I	45.00	I	75.00	I	8.32	I	12.49	I	8.32	I
I	ARM B	I	15.00	I	45.00	I	75.00	I	1.83	I	2.74	I	1.83	I
I	ARM C	I	15.00	I	45.00	I	75.00	I	8.21	I	12.32	I	8.21	I

.Demand set: PM 2020 with Development+Tourism

I	TIME	I	FROM/TO	I	ARM	A	I	ARM	B	I	ARM	C	I
I	16.15 - 16.30	I	ARM A	I	0.000	I	0.110	I	0.890	I		I	
I		I		I	0.0	I	73.0	I	593.0	I		I	
I		I		I	( 0.0)	I	( 0.0)	I	( 2.0)	I		I	
I		I	ARM B	I	0.637	I	0.000	I	0.363	I		I	
I		I		I	93.0	I	0.0	I	53.0	I		I	
I		I		I	( 0.0)	I	( 0.0)	I	( 0.0)	I		I	
I		I	ARM C	I	1.000	I	0.000	I	0.000	I		I	
I		I		I	657.0	I	0.0	I	0.0	I		I	
I		I		I	( 4.0)	I	( 0.0)	I	( 0.0)	I		I	

TURNING PROPORTIONS ARE CALCULATED FROM TURNING COUNT DATA  
THE PERCENTAGE OF HEAVY VEHICLES VARIES OVER TURNING MOVEMENTS

QUEUE AND DELAY INFORMATION FOR EACH 15 MIN TIME SEGMENT

FOR DEMAND SET PM 2020 with Development+Tourism  
AND FOR TIME PERIOD 2

I	TIME	I	DEMAND (VEH/MIN)	I	CAPACITY (VEH/MIN)	I	DEMAND/CAPACITY (RFC)	I	PEDESTRIAN FLOW (PEDS/MIN)	I	START QUEUE (VEHS)	I	END QUEUE (VEHS)	I	DELAY (VEH.MIN/ TIME SEGMENT)	I	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	I	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	16.15-16.30	I	B-C	I	0.67	I	7.47	I	0.089	I	0.00	I	0.10	I	1.4	I		I	0.15	I
I		I	B-A	I	1.17	I	7.59	I	0.154	I	0.00	I	0.18	I	2.6	I		I	0.16	I
I		I	C-A	I	8.24	I		I		I		I		I		I		I		I
I		I	C-B	I	0.00	I	7.25	I	0.000	I	0.00	I	0.00	I	0.0	I		I	0.00	I
I		I	A-B	I	0.92	I		I		I		I		I		I		I		I
I		I	A-C	I	7.44	I		I		I		I		I		I		I		I

I	TIME	I	DEMAND (VEH/MIN)	I	CAPACITY (VEH/MIN)	I	DEMAND/CAPACITY (RFC)	I	PEDESTRIAN FLOW (PEDS/MIN)	I	START QUEUE (VEHS)	I	END QUEUE (VEHS)	I	DELAY (VEH.MIN/ TIME SEGMENT)	I	GEOMETRIC DELAY (VEH.MIN/ TIME SEGMENT)	I	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)	I
I	16.30-16.45	I	B-C	I	0.79	I	7.04	I	0.113	I	0.10	I	0.13	I	1.8	I		I	0.16	I
I		I	B-A	I	1.39	I	6.98	I	0.200	I	0.18	I	0.25	I	3.6	I		I	0.18	I
I		I	C-A	I	9.84	I		I		I		I		I		I		I		I
I		I	C-B	I	0.00	I	6.92	I	0.000	I	0.00	I	0.00	I	0.0	I		I	0.00	I
I		I	A-B	I	1.09	I		I		I		I		I		I		I		I
I		I	A-C	I	8.88	I		I		I		I		I		I		I		I

TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
16.45-17.00									
B-C	0.97	6.40	0.152		0.13	0.18	2.6		0.18
B-A	1.71	6.12	0.279		0.25	0.38	5.4		0.23
C-A	12.06								
C-B	0.00	6.46	0.000		0.00	0.00	0.0		0.00
A-B	1.34								
A-C	10.88								

TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
17.00-17.15									
B-C	0.97	6.40	0.152		0.18	0.18	2.7		0.18
B-A	1.71	6.12	0.279		0.38	0.38	5.7		0.23
C-A	12.06								
C-B	0.00	6.46	0.000		0.00	0.00	0.0		0.00
A-B	1.34								
A-C	10.88								

TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
17.15-17.30									
B-C	0.79	7.03	0.113		0.18	0.13	2.0		0.16
B-A	1.39	6.98	0.200		0.38	0.25	3.9		0.18
C-A	9.84								
C-B	0.00	6.92	0.000		0.00	0.00	0.0		0.00
A-B	1.09								
A-C	8.88								

TIME	DEMAND (VEH/MIN)	CAPACITY (VEH/MIN)	DEMAND/CAPACITY (RFC)	PEDESTRIAN FLOW (PEDS/MIN)	START QUEUE (VEHS)	END QUEUE (VEHS)	DELAY (VEH.MIN/TIME SEGMENT)	GEOMETRIC DELAY (VEH.MIN/TIME SEGMENT)	AVERAGE DELAY PER ARRIVING VEHICLE (MIN)
17.30-17.45									
B-C	0.67	7.46	0.089		0.13	0.10	1.5		0.15
B-A	1.17	7.59	0.154		0.25	0.18	2.8		0.16
C-A	8.24								
C-B	0.00	7.25	0.000		0.00	0.00	0.0		0.00
A-B	0.92								
A-C	7.44								

QUEUE FOR STREAM B-C

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
16.30	0.1
16.45	0.1
17.00	0.2
17.15	0.2
17.30	0.1
17.45	0.1

QUEUE FOR STREAM B-A

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
16.30	0.2
16.45	0.2
17.00	0.4
17.15	0.4
17.30	0.3
17.45	0.2

QUEUE FOR STREAM C-B

TIME SEGMENT ENDING	NO. OF VEHICLES IN QUEUE
16.30	0.0
16.45	0.0
17.00	0.0
17.15	0.0
17.30	0.0
17.45	0.0

QUEUEING DELAY INFORMATION OVER WHOLE PERIOD

STREAM	TOTAL DEMAND (VEH)	CAPACITY (VEH/H)	* QUEUEING * DELAY (MIN)	* (MIN/VEH)	* INCLUSIVE QUEUEING * DELAY (MIN)	* (MIN/VEH)
B-C	73.0	48.6	12.0	0.16	12.0	0.16
B-A	128.0	85.3	24.1	0.19	24.1	0.19
C-A	904.3	602.9				
C-B	0.0	0.0	0.0	0.00	0.0	0.00
A-B	100.5	67.0				
A-C	816.2	544.1				
ALL	2022.0	1348.0	36.1	0.02	36.1	0.02

\* DELAY IS THAT OCCURRING ONLY WITHIN THE TIME PERIOD  
 \* INCLUSIVE DELAY INCLUDES DELAY SUFFERED BY VEHICLES WHICH ARE STILL QUEUEING AFTER THE END OF THE TIME PERIOD

2020 with dev and with dev+tourism.vpo  
\* THESE WILL ONLY BE SIGNIFICANTLY DIFFERENT IF THERE IS  
A LARGE QUEUE REMAINING AT THE END OF THE TIME PERIOD.  
\*\*\*\*\*END OF RUN\*\*\*\*\*