



- LEGEND:**
- Planning Application Boundary
 - DCWW Land Ownership Boundary
 - Public Rights of Way
 - Site of Importance for Nature Conservation (SINC)
 - Existing Amenity Grass
 - Existing Tree and shrub planting
 - Existing Tree planting to be managed for biodiversity
 - Existing Grassland to be managed as Species Rich Grassland
 - SINC Grassland Management Area
 - Proposed Amenity Grassland
 - Proposed Species Rich Grassland
 - Proposed Woodland Belt Planting
 - Tall Ruderal
 - Dense Scrub
 - Proposed Individual Tree Planting
 - Area to be Managed for Wildlife
 - Bird Nest Box
 - Bat Box
 - Hibernaculum to be created
 - Dormouse Nest Boxes
 - Existing Ephemeral Ditch
 - Existing Dry Ditch
 - Proposed Drainage Ditch

Latin Name	Common Name	Outline Specification	% in Mix
Proposed Woodland Belt Forestry Transplant Mix			
<i>Corylus avellana</i>	Hazel	1+1 Forestry transplant; Bare root; 1.5m spacing.	24%
<i>Quercus robur</i>	Pedunculate Oak	As above.	24%
<i>Carpinus betulus</i>	Hornbeam	As above.	6%
<i>Crataegus monogyna</i>	Hawthorn	As above.	6%
<i>Prunus avium</i>	Wild Cherry	As above.	5%
<i>Ligustrum vulgare</i>	Wild Privet	As above.	4%
<i>Malus sylvestris</i>	Crab Apple	As above.	4%
<i>Acer campestre</i>	Field Maple	As above.	4%
<i>Viburnum lantana</i>	Wayfaring-Tree	As above.	4%
<i>Sorbus aucuparia</i>	Rowan	As above.	3%
<i>Cornus sanguinea</i>	Dogwood	As above.	3%
<i>Lonicera periclymenum</i>	Honeysuckle	2L Pot; 1.5m spacing.	2%
<i>Frangula alnus</i>	Alder Buckthorn	1+1 Forestry transplant; Bare root; 1.5m spacing.	2%
<i>Rhamnus cathartica</i>	Buckthorn	As above.	2%
<i>Euonymus europaea</i>	Spindle	As above.	2%
<i>Prunus padus</i>	Bird Cherry	As above.	2%
<i>Sambucus nigra</i>	Elder	As above.	2%
<i>Ilex aquifolium</i>	Holly	2L Pot; 1.5m spacing.	1%
<i>Hedera helix</i>	Ivy	2L Pot; 1.5m spacing.	1%
Individual Trees			
<i>Quercus robur</i>	Pedunculate Oak	2x, 3 Breaks, Fthd, BR, 1.5-1.75m, 10m spacing	40%
<i>Alnus glutinosa</i>	Alder	As above.	30%
<i>Prunus avium</i>	Wild Cherry	2x, 5 Breaks, Fthd, BR, 1.5-1.75m, 10m spacing	30%

Rev.	Date	Drawn	Description	Chkd	Appd	Date
P06	13.03.18	DM	UPDATED BOUNDARY	LF	LW	13.03.18
P05	12.02.18	DM	SOLAR PANELS MOVED	LF	LW	12.02.18
P04	31.01.11	DM	THIRD ISSUE	LF	LW	31.01.11
P03	19.12.17	RG	SECOND ISSUE	SF	LW	19.12.17
P02	25.10.17	RG	SECOND ISSUE	SF	LW	25.10.17
P01	27.07.17	RG	FIRST ISSUE	SF	LW	21.06.17

Capital Delivery Alliance
Cynghair Cyflawni Cyfalaf
 Ty Awon, Spooner Close, Coed Kernew, Newport, NP108FZ

Project Name: **COG MOORS WwTW AAD**

Drawing Title: **FIGURE 10 LANDSCAPE MITIGATION PLAN**

Suitability: **INFORMATION** Suitability Code: **S2**

Originator: **R.G.** Designer: **S.F.** Date: **21.06.17**

Internal Project Number: **UA007902** Scale: **1:1250@A1** Rev: **P06**

Drawing Number: **4798-S-202-HYD-XX-XX-DR-NX-06127**

Minimum 1.5m clearance to be maintained between the edge of proposed woodland planting and existing field boundary hedgerow to allow access along existing public footpath.

Trees along north eastern boundary are covered by Tree Preservation Orders

Trees along north eastern boundary are covered by Tree Preservation Orders

Dwr Cymru Cyf gives this information as to the position of its underground apparatus by way of general guidance only on the strict understanding that it is based on the best information available and no warranty as to its correctness is relied upon in the event of excavations or other works made in the vicinity of the company's apparatus and any onus of locating the apparatus before carrying out any excavations rests entirely on you. It must be understood that the furnishing of the information is entirely without prejudice to the provision of the New Roads and Streetworks Act 1991 and of the Company's right to be compensated for any damage to its apparatus.

Dwr Cymru Cyf has no duty to identify private apparatus and the information as to the position of the private apparatus is given by way of general guidance only on the strict understanding that it is based on the best information available and no warranty as to its correctness is relied upon. Not all private apparatus is identified but their presence should be anticipated.