







- FENCING PLAN**
-  Site boundary
 -  Secure site boundary fencing, minimum 1.8m high. Weld mesh anti-climb fence, to SbD standards e.g. Dulok double wire mesh fencing at 1830mm height, powder coated in black colour. With matching gates. Supplier by CLD Fencing.
 -  Secondary secure fencing to playground zones. Weld mesh anti-climb fence, e.g. Dulok double wire mesh fencing at 1430mm height, powder coated in black colour. With matching gates. Supplier by CLD Fencing.
 -  Fencing to refuse store and substation. Timber hit and miss fencing, with metal support posts. Minimum 2400mm high. With matching gates. Roof not included. Supplier to be approved.
 -  Retaining walls
To engineers details.
 -  Handrail. Pro Railing System by FH Brundle, subject to final design by manufacturer. In stainless steel 316, height to BS.

- GATE SCHEDULE**
- G1 Lockable vehicular gate. Double leaf gate, min. 6.0m clear opening
 - G2 Lockable pedestrian gate. Single leaf gate, min. 1.2m clear opening
 - G3 Lockable pedestrian/maintenance gate. Double leaf gate, min. 2.4m clear opening
 - G4 Lockable pedestrian/maintenance gate. Double leaf gate, min. 2.4m clear opening
 - G5 Lockable pedestrian/maintenance gate. Double leaf gate, min. 2.4m clear opening
 - G6 Lockable pedestrian/maintenance gate. Double leaf gate, min. 2.4m clear opening
 - G7 Lockable pedestrian/maintenance gate. Double leaf gate, min. 2.4m clear opening
 - G8 Lockable maintenance gate to refuse store. Double leaf gate, min. 2.4m clear opening
 - G9 Lockable maintenance gate to sprinkler tank enclosure. Double leaf gate, min. 2.4m clear opening
 - G10 Lockable maintenance gate. Double leaf gate, min. 2.4m clear opening
 - G11 Lockable maintenance gate to habitat area. Double leaf gate, min. 2.4m clear opening

PL	PL09	03/07/20	For Planning
S3	P36	15/05/20	1st draft tender drawings for review
STATUS	REV	DATE	DESCRIPTION
CLIENT			REVISED BY
Vale of Glamorgan Council			AP
			CHECKED BY
			CS
			ORIGINATOR NO
			152852

CONSULTANT
STRIDE TREGLOWN
www.stridetreglown.com © Stride Treglown Limited 2018
PROJECT
St. David's Church in Wales Primary School
Colwinston, Cowbridge

DRAWING TITLE
Site security and fencing plan

SUITABILITY STATUS
PL : PLANNING

SCALE
1 : 200 @ A1

PROJECT | ORIGINATOR | ZONE | LEVEL | TYPE | ROLE | CLASS. | NUMBER
SDPS-STL-XX-XX-DR-L-9003

REVISION
PL09