



**Key**

- Foul Rising Main
- Package Pumping Station (Supplier TBC)

**Notes**

1. Do not scale this drawing. All dimensions must be checked/ verified on site. If in doubt ask.
2. This drawing is to be read in conjunction with all relevant architects, engineers and specialists drawings and specifications.
3. All levels in metres unless noted otherwise.
4. Any discrepancies noted on site are to be reported to the engineer immediately.
5. This drawing is outline and subject to further detailed design and discussed with DCWW regarding S104 adoption of rising main.

Pumping station invert level: 10.50  
 Pumping station cover level: 13.30  
 DCWW manhole ST17699103 invert level: 11.65  
 Distance of rising main: 285m  
 Pumped flow rate: 8 l/s

Rev	Date	Description	By	Apvd
P1	26.05.22	Preliminary Issue	MS	GS

**PROJECT:**  
 YSGOL Y DERI

**TITLE:**  
 FOUL RISING MAIN LAYOUT

**CLIENT:**  
 ISG

**SCALE@A1:**  
 1:500

**PROJECT REF:**  
 22112  
**DRAWING No:** YYDE-JUB-XX-XX-DR-C-00502 P1 **REV:**

*Revision Referencing*  
 P = Preliminary A = Approval T = Tender C = Construction

